

Solid Carbide End Mill Program Tools



TOM- Toroid

Tool Ordering No.	Cutter Diameter tol. +0 /-0.01	Corner Radius	Shank Diameter (h6)	No. of Flutes	Neck Diameter	Cutting Length	Nose Taper	Overall Length
TOM-2.0	2	0,5	6,0	2	1,84	2,0	6 / 0,75°	63
TOM-3.0	3	0,75	6,0	2	2,76	3,0	9 / 0,75°	63
TOM-4.0	4	1,0	6	2	3,68	4,0	12 / 0,75°	63
TOM-6.0	6	1,5	6	2	5,52	6,0	18 / -	63
TOM-8.0	8	2,0	8	2	7,37	8,0	24 / -	75
TOM-10.0	10	2,5	10	2	9,21	10,0	30 / -	75
TOM-12.0	12	3,0	12	2	11,05	12,0	36 / -	90

All tools backdraft 3° per side



IMB-2.0 – Z2 Angle 30°

Tool Ordering No.	Cutter Diameter tol. +0 /-0.01	Corner Radius	Shank Diameter	No. of Flutes	Cutting Length	Overall Length
IMB-2.0-0.5-EX2-LL	2,0	0,5	4	2	3,0	75
IMB-3.0-0.5-EX2-LL	3,0	0,5	6	2	4,5	75
IMB-3.0-1.0-EX2-LL	3,0	1,0	6	2	4,5	75
IMB-4.0-0.5-EX2-LL	4,0	0,5	6	2	6,0	75
IMB-4.0-1.0-EX2-LL	4,0	1,0	6	2	6,0	75
IMB-5.0-0.5-EX2-LL	5,0	0,5	6	2	7,5	75
IMB-5.0-1.0-EX2-LL	5,0	1,0	6	2	7,5	75
IMB-6.0-0.5-EX2-LL	6,0	0,5	6	2	9,0	90
IMB-6.0-1.0-EX2-LL	6,0	1,0	6	2	9,0	90
IMB-8.0-0.5-EX2-LL	8,0	0,5	8	2	12,0	100
IMB-8.0-1.0-EX2-LL	8,0	1,0	8	2	12,0	100
IMB-10.0-0.5-EX2-LL	10,0	0,5	10	2	15,0	100
IMB-10.0-1.0-EX2-LL	10,0	1,0	10	2	15,0	100
IMB-6.0-1.0-EX2	6,0	1,0	6	2	9,0	63
IMB-8.0-0.5-EX2	8,0	0,5	8	2	12,0	73
IMB-8.0-1.0-EX2	8,0	1,0	8	2	12,0	73
IMB-10.0-0.5-EX2	10,0	0,5	10	2	15,0	73
IMB-10.0-1.0-EX2	10,0	1,0	10	2	15,0	73



IMB-4-LL – Z4 Angle 30°

Tool Ordering No.	Cutter Diameter tol. +0 /-0.01	Corner Radius	Shank Diameter	No. of Flutes	Cutting Length	Overall Length
IMB-2.0-0.5-EX4-LL	2,0	0,5	4	4	3,0	75
IMB-3.0-0.5-EX4-LL	3,0	0,5	6	4	4,5	75
IMB-4.0-0.5-EX4-LL	4,0	0,5	6	4	6,0	75
IMB-5.0-0.5-EX4-LL	5,0	0,5	6	4	7,5	75
IMB-6.0-0.5-EX4-LL	6,0	0,5	6	4	9,0	90
IMB-8.0-0.5-EX4-LL	8,0	0,5	8	4	12,0	100
IMB-10.0-0.5-EX4-LL	10,0	0,5	10	4	15,0	100

All products on these pages come in both TLN and HSN coatings.

Example: TOM-2.0-TLN